

**Windows®. Life without Walls™.**  
**Fujitsu recommends Windows 7.**

# DATASHEET

## FUJITSU ESPRIMO P1510 DESKTOP PC

THE WIDE-RANGING HOME OFFICE AND MULTIMEDIA PC

---

### ESPRIMO P1510

The wide-ranging ESPRIMO P1510 is the ideal home office and multimedia PC for all the members of the family. Equipped with powerful Intel® processor and graphics technology from leading suppliers it is ideal for processing holiday photos, surfing the Internet and for gaming. The optional built-in Blu-ray player makes it a joy to use Blu-ray disks in HD quality. A wide selection of interfaces makes it easy to connect external devices - it's child play.



### INTELLIGENT PERFORMANCE

Performance to meet all demands - for office applications and games as well as photo processing

- Latest Intel® Core™ processors with Turbo Boost and hyperthreading technology, up to 16 GB DDR3 memory and 3 TB hard disk capacity

### DESIGNED AND ENGINEERED IN GERMANY

Outstanding quality and stable functions based on German production standards

- The development, production and function tests are all under one roof in Germany

### MULTIMEDIA

Un-restricted joy with Blu-ray disks in HD quality

- Blu-ray drive (optional) and HDMI interface with the corresponding multimedia software

### CONNECTIVITY

Comfortable connection of external devices and easy reading of the various storage media

- 20-in-1 card reader, many different connections, LAN



# COMPONENTS

<b>PROCESSOR</b>	Intel® Core™ i7 processor i7-870 (4 Cores / 8 Threads, 2.93 GHz, 8 MB) Intel® Core™ i7 processor i7-860 (4 Cores / 8 Threads, 2.80 GHz, 8 MB) Intel® Core™ i5 processor i5-750 (4 Cores / 4 Threads, 2.66 GHz, 8 MB) Intel® Core™ i5 processor i5-670 (2 Cores / 4 Threads, 3.46 GHz, 4 MB, Intel® HD Graphics) Intel® Core™ i5 processor i5-660 (2 Cores / 4 Threads, 3.33 GHz, 4 MB, Intel® HD Graphics) Intel® Core™ i5 processor i5-650 (2 Cores / 4 Threads, 3.20 GHz, 4 MB, Intel® HD Graphics) Intel® Core™ i3 processor i3-540 (2 Cores / 4 Threads, 3.06 GHz, 4 MB, Intel® HD Graphics) Intel® Core™ i3 processor i3-530 (2 Cores / 4 Threads, 2.93 GHz, 4 MB, Intel® HD Graphics) Intel® Pentium® processor G6950 (2 Cores / 2 Threads, 2.80 GHz, 3 MB, Intel® HD Graphics)
<b>OPERATING SYSTEM</b>	
<b>Operating system optional preinstalled</b>	Microsoft® Windows® 7 Home Premium
<b>Operating system notes</b>	All Windows® 7 versions are Office 2007 ready.
<b>HARD DISK DRIVES (INTERNAL)</b>	SATA II, 7200 rpm, 1500 GB, 3.5-inch, S.M.A.R.T. SATA II, 7200 rpm, 1000 GB, 3.5-inch, S.M.A.R.T. SATA II, 7200 rpm, 500 GB, 3.5-inch, S.M.A.R.T. SATA II, 7200 rpm, 320 GB, 3.5-inch, S.M.A.R.T. SATA II, 7200 rpm, 250 GB, 3.5-inch, S.M.A.R.T.
<b>GRAPHICS ADD ON CARDS (OPTIONAL)</b>	ATI Radeon® HD 5670, 1 GB NVIDIA® GeForce® GT 220, 1 GB
<b>DRIVES (OPTIONAL)</b>	Blu-ray Disc™ Combo Drive Blu-ray Disc™ Triple Writer DVD Super Multi MultiCard Reader 20in1, 3.5-Inch
<b>INTERFACE ADD ON CARDS/COMPONENTS (OPTIONAL)</b>	WLAN III, 802.11g/Draft-n (Windows only)
<b>Base unit</b>	ESPRIMO P1510
<b>MAINBOARD</b>	
<b>Mainboard type</b>	D2415
<b>Formfactor</b>	µATX
<b>Chipset</b>	Intel® H55
<b>Processor socket</b>	LGA 1156
<b>Processor quantity maximum</b>	1
<b>Memory slots</b>	4 DIMM (DDR3)
<b>Supported capacity RAM (max.)</b>	16 GB
<b>Memory frequency</b>	1066 MHz
<b>LAN</b>	10/100/1000 MBit/s
<b>Audio codec</b>	Realtek ALC888s
<b>Audio features</b>	High Definition audio, 7.1 audio support also via 4x audio jacks (analog)
<b>I/O CONTROLLER ON BOARD</b>	
<b>Serial ATA total</b>	4
<b>Controller functions</b>	Serial ATA II 3 GBit
<b>INTERFACES</b>	
<b>Audio: line-in</b>	1
<b>Audio: line-in / microphone</b>	1
<b>Audio: line-out</b>	1

**INTERFACES**

Front audio: microphone	1
Front audio: headphone	1
USB 2.0 total	12
USB front	2
USB rear	6
USB internal	4
DVI	1
HDMI	1 (only in config with graphic card)
Mouse / Keyboard (PS/2)	1/1
Ethernet (RJ-45)	1
Multicardreader	20-in-1
eSATA	1
Interface Module notes	Anytime USB charge functionality

**INPUT DEVICE / COMPONENTS**

Optical USB wheel mouse  
Keyboard

**DRIVE BAYS**

Drive bays total	5
3.5-inch internal bays	2
3.5-inch external bays	1
5.25-inch external bays	2

**SLOTS**

PCI-Express 2.0 x16	1 x (240 mm)
PCI-Express x4 (mech. x8)	1
PCI-Express x1	1 full height
PCI (32-bit / 33 MHz)	1 x (240 mm) full height

**GRAPHICS**

Refresh rate 1024 x 768 (recommended / max.)	85 Hz / -
Refresh rate 1280 x 1024 (recommended / max.)	85 Hz / -
Refresh rate 1600 x 1200 (recommended / max.)	85 Hz / -
TFT resolution (VGA)	1024 x 768 pixel 1360 x 768 pixel 1440 x 900 pixel 1680 x 1050 pixel 1920 x 1200 pixel
TFT resolution (DVI)	1360 x 768 pixel 1440 x 900 pixel 1680 x 1050 pixel 1920 x 1200 pixel
Graphics features	DirectX 10 Supporting full HD video experience
Graphics notes	Shared memory depending on driver Resolution (color depth up to 32 Bit/pixel) Refresh rates reflect the max. graphics capabilities. Video quality can be deteriorated when using maximum settings. For TFT we recommend using 60Hz

**ELECTRICAL VALUES**

Rated voltage range	200 - 240 V
Rated frequency range	50 - 60 Hz
Operating voltage range	200 - 240 V
Operating line frequency range	47 - 63 Hz
Max. output of single power supply	330 W

**ELECTRICAL VALUES**

Monitor outlet	No
----------------	----

**POWER CONSUMPTION**

Power consumption note	See white paper Energy Consumption
------------------------	------------------------------------

Link to Energy White Paper	<a href="http://docs.ts.fujitsu.com/dl.aspx?id=e9f66d64-f5ed-4bb6-a7e3-4d5b37811977">http://docs.ts.fujitsu.com/dl.aspx?id=e9f66d64-f5ed-4bb6-a7e3-4d5b37811977</a>
----------------------------	---

**HEAT DISSIPATION**

Heat dissipation notes	See white paper Energy Consumption
------------------------	------------------------------------

**NOISE FOR STANDARD CONFIGURATION (HDD, ODD, FDD)**

Noise emission	According to ISO9296
----------------	----------------------

Related Processors for noise	Intel Core i7-870
------------------------------	-------------------

Noise Operation mode 1: ODD load (Blue angel requirement)	27 dB(A)
--	----------

Noise Operation mode 2: HDD load (Blue angel requirement)	26 dB(A)
--	----------

Noise Operation mode 3: CPU 90% load (Blue angel requirement)	32 dB(A)
--	----------

Noise Operation mode 4: High load	32 dB(A)
-----------------------------------	----------

Noise Operation mode 5: Office applications	26 dB(A)
--	----------

Idle mode (Blue Angel requirement)	23 dB(A)
------------------------------------	----------

Noise notes / description	A weighted sound power level L <sub>wad</sub> (in B) / workplace related A-weighted sound pressure level L <sub>pAm</sub> (in dB(A)), Bystander position
---------------------------	--

**DIMENSIONS / WEIGHT / ENVIRONMENTAL**

Dimensions (W x D x H)	175 x 425 x 353 mm
------------------------	--------------------

Operating position	Vertical
--------------------	----------

Weight	approx. 11 kg
--------	---------------

Weight notes	Actual weight may vary depending on configuration
--------------	---

Operating ambient temperature	15 - 35°C
-------------------------------	-----------

**COMPLIANCE**

Product	ESPRIMO P1510
---------	---------------

Europe	CE
--------	----

Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment)
--------	--

Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates/default.aspx">https://sp.ts.fujitsu.com/sites/certificates/default.aspx</a>
-----------------	---

**ADDITIONAL SOFTWARE**

Additional software (preinstalled)	Nero Essentials S (burning software)
------------------------------------	--------------------------------------

Additional software (optional)	CyberLink PowerDVD BD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive)
--------------------------------	--

Additional software (included as a CD/ DVD)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD)
--	--

**COMPATIBILITY (REFERENCES)**

	DMI 2.0 USB 2.0 WMI 1.5
--	-------------------------------

**SECURITY**

Physical security	Kensington Lock support Eye for padlock
-------------------	--

System security	Boot sector virus protection Control of external interfaces
-----------------	--

User security	User and supervisor BIOS password
---------------	-----------------------------------

**PACKAGING INFORMATION**

Packaging dimension	500x290x540 mm
---------------------	----------------

Max. quantity / pallet	24
------------------------	----

Material - Weight (g) Carton	1270 g
------------------------------	--------

**PACKAGING INFORMATION**

---

<b>Material - Weight (g) EPS / PS</b>	210 g
<b>Material - Weight (g) PE</b>	appr. 60 g
<b>Packaging notes</b>	printed user documentation is bleached in chlorine free process

---

**WARRANTY**

---

<b>Standard Warranty</b>	1 or 2 years
<b>Service level</b>	Collect & Return / Bring-in Service / Send-in Service (depending on country)

---

**MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION**

---

<b>Recommended Service</b>	5x9, Response Time: Next Business Day
<b>Spare Parts availability</b>	3 years
<b>Service Weblink</b>	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

---

**FUJITSU PLATFORM SOLUTIONS**

In addition to Fujitsu ESPRIMO P1510, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

**Dynamic Infrastructures**

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

**Computing Products**

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

**Software**

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

**MORE INFORMATION**

Learn more about Fujitsu ESPRIMO P1510, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/ESPRIMO>

**FUJITSU GREEN POLICY INNOVATION**

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



**COPYRIGHTS**

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
 Copyright © Fujitsu Technology Solutions

**DISCLAIMER**

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

**CONTACT**

FUJITSU Technology Solutions  
 Website: <http://ts.fujitsu.com>  
 2010-05-05 CE-EN