

## STYLISTIC ST6012

Issue: January 2009

### The ideal mobile solution for indoors and outdoors

Fujitsu Siemens Computers is the leading European IT manufacturer. With a strategic focus on innovative mobility and the dynamic data center, we offer a unique range of products and services from notebooks and desktops to servers and IT infrastructure solutions. Famous German engineering and exceptional in-house quality testing capabilities in our test centers ensure extraordinary product quality and reliability across all product lines.

#### STYLISTIC ST6012

The STYLISTIC ST6012 is the perfect companion for indoor and outdoor work and was specially developed for use when standing or walking. The device weighs only 1.6 kg, is very easy to carry and comes in a semi-ruggedized design while the transmissive 12.1-inch TFT WXGA display offers best image quality. The support for pen-based functions helps you carry out your work anywhere and to present it convincingly. A further advantage is the battery runtime which enables you to work for a long period. As well as being lightweight, the housing provides additional protection against damp or dust.



#### Unlimited mobility

Small, lightweight, easy to carry, created for optimized mobility.

- DIN A4 format, only 1.6 kg, personalized keys for easy and fast access to your applications

#### Highest security

Perfect data protection against non-authorized access.

- Integrated smartcard reader, fingerprint sensor & TPM module

#### Extreme productivity

Non-stop working and no loss of speed.

- Intel® Core™2 Duo processor SU9400 (ULV)

#### Unlimited connectivity

Unlimited connectivity - indoors and outdoors.

- Optional integrated high-speed 3G/UMTS, WLAN and Bluetooth



## Components

<b>Memory modules</b>	2 GB (1 module(s) with 2 GB, DDR3), 1066 MHz 1 GB (1 module(s) with 1 GB, DDR3), 1066 MHz	
<b>Hard disk drives (internal)</b>	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T. 160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T. 64 GB SSD SATA, 2.5-inch	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software and tool	
<b>Battery</b>		
Battery type	Li-Ion battery 6-cell	Li-Ion battery 9-cell
Battery power	56.16 Wh	56.16 Wh
Battery capacity	5.200 mAh	7.800 mAh
Battery features	Dynamic charge supported (rapid charge)	
Benchmark	Mobile Mark 2005	
Battery notes	Disclaimer: Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	
<b>WLAN (optional)</b>	Atheros Minicard b/g 802.11 b/g Intel® Wireless WiFi Link 5300 AGN 11/13ch	
<b>UMTS/HSUPA (optional)</b>	Sierra Wireless MC8790 (downlink 7.2 MBit/s, uplink 2.0 MBit/s)	
<b>Base unit</b>	<b>STYLISTIC ST6012</b>	
<b>General system information</b>		
Processor	Intel® Core™2 Duo ULV SU9400 (1.4 GHz), 3 MB, 800 MHz	
Chipset	Intel® GS45, ICH9-M	
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook	
Memory slots	2 DIMM	
Turbo memory	Optional 4 GB	
Supported capacity RAM (max.)	4 GB	
Memory notes	8 GB - with future memory models.	
<b>Interfaces</b>		
Memory card slots	1 (SD)	
PC Card slot (Type I/II)	1	
SmartCard slot	1	
SIM card slot	1	
USB 2.0 total	2	
VGA	1	
Ethernet (RJ-45)	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	2	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
<b>Wired communication</b>		
LAN	Built-in 10/100/1000 MBit/s Intel® 82567LF	
<b>Wireless technologies</b>		
Antennas	3 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth	
WLAN notes	Import and usage according to country-specific regulations.	
UMTS	option	
<b>Keyboard and pointing devices</b>		
	Fingerprint sensor Launch keys Status LED Application buttons Tablet Pen Digitizer	
<b>Multimedia</b>		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Mono speaker	
Camera	Optional: Built-in Conference Camera, 1.3 megapixel	
<b>Graphics</b>		
Display	12.1-inch TFT active digitizer 1280 x 800 pixel (WXGA) non-glare display	
max. resolution external display	1920 x 1200 / true color / 85 Hz	
Graphics brand name	Mobile Intel® GMA 4500M HD	
Graphic features	DualView (Windows XP & Windows Vista)	
<b>Power supply</b>		
AC adapter	16 V / 60 W (3.75 A)	
Rated voltage range	100 - 240 V (AC Input)	
Rated frequency range	50 - 60 Hz	

<b>Dimensions / Weight / Environmental</b>	
Dimension (W x D x H)	325 x 220 x 23.8 - 31.7 mm
Weight	1,6 kg
Weight notes	Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 80 %

<b>Operating system</b>	
Operating system optional preinstalled	TwinLoad Microsoft® Windows® XP Tablet PC Edition 2005 (DVD) Microsoft® Windows Vista® Business 32bit
Operating system compatible	Microsoft® Windows® XP Tablet PC Edition 2005
Operating system notes	Driver support for Microsoft Windows XP

<b>Additional Software</b>	
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Drivers & Utilities DVD (DUDVD) Microsoft® Office (Trial) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Toshiba Bluetooth Stack EasyGuide online user documentation Tablet Button Utility
Additional software (optional)	Windows Vista® recovery media Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Additional software (included as a CD/DVD)	SmartCase Logon+

<b>Manageability</b>	
Manageability features	DeskUpdate Driver management DeskView Migrate (optional) DeskView Control (optional)
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	<a href="http://www.fujitsu-siemens.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html">http://www.fujitsu-siemens.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html</a>

<b>Security</b>	
Physical security	Kensington Lock support
System security	Symantec Norton Internet Security (90 day test version) Write protect option for the Flash EPROM Control of all USB interfaces
User security	Integrated Fingerprint Sensor Integrated SmartCard controller in PC Card with system lock support Hard disk password SystemLock 2 BIOS SmartCard Security SmartCase Logon+ incl. Fingerprint software User and supervisor BIOS password

<b>Compliance</b>	
Europe	CE Nordic Swan in progress
USA/Canada	FCC Class B (Depending on wireless configuration)
Global	WiFi certified Energy Star 4.0
Compliance link	<a href="https://sp.fujitsu-siemens.com/sites/certificates/default.aspx">https://sp.fujitsu-siemens.com/sites/certificates/default.aspx</a>

<b>Docking devices (optional)</b>	
	Tablet Dock
DC-in	1
Audio: line-out / headphone	1
USB 2.0 total	3
VGA	1
Ethernet (RJ-45)	1
Kensington Lock support	2
Drive name	DVD Super Multi

<b>Warranty</b>	
Standard Warranty	2 years
Service level	Collect & Return Service (depending on country)
<b>Maintenance and Support Services - the perfect extension</b>	
Recommended Service	3 years, Collect and Return Service, where available: Executive On-site Service
Spare Parts availability	5 years

---

**Warranty**

Service Weblink

[www.fujitsu-siemens.com/Supportservice](http://www.fujitsu-siemens.com/Supportservice)

---

Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:

<http://www.fujitsu-siemens.com/aboutus>

Take back and Recycling information:

<http://www.fujitsu-siemens.com/recycling>

---

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [http://www.fujitsu-siemens.com/terms\\_of\\_use.html](http://www.fujitsu-siemens.com/terms_of_use.html)

Copyright © Fujitsu Siemens Computers January 2009

Published by

Fujitsu Siemens Computers

<http://www.fujitsu-siemens.com/>